


ANTENNAS | BRACKETS SERIES


BRACKET SPECIFICATIONS

Brackets


BRKT-016



BRKT-030



BRKT-033



BRKT-037




BRKT-038




BRKT-039



BRKT-045




BRKT-046



BRKT-047/066



BRKT-051



BRKT-052



BRKT-090



BRACKETS

Bracket Specifications

Bracket Product No.	Description	Bracket Dimensions	Packaged Dimensions (Flat Pack)	Bracket Weight	Packaged Weight	Material Type	Mounting Type	Compatible Antennas
A-BRKT-016	Universal Cast Swivel Bracket	145 x 80 x 80 mm	155 x 115 x 40 mm	260g	320g	Aluminium	Pole Mounted	<ul style="list-style-type: none"> • XPOL 6-10m • Patch-25 • Patch-26 • WLAN-60 • WLAN-61
A-BRKT-030	LPDA-92 Horizontal Mounting Bracket	133 x 104 x 96 mm	145 x 110 x 110 mm	320g	380g	Aluminium	Pole Mounted	<ul style="list-style-type: none"> • 2x LPDA-92 30-LTE
A-BRKT-033	±45° Polarisation Bracket	265 x 115 x 110 mm	265 x 115 x 110 mm	1kg	1.06kg	Galvanized Steel	Pole Mounted	<ul style="list-style-type: none"> • 2x LPDA-92-LTE
A-BRKT-037	Heavy Duty Marine Flat Mount Antenna Bracket 1" 14 TPI	Ø77 x 40 mm	145 x 110 x 110 mm	180g	240g	316 Grade Stainless Steel	Surface Mounted	<ul style="list-style-type: none"> • OMNI-291 • OMNI-400 • OMNI-402 • OMNI-403 • OMNI-404 • OMNI-414 • OMNI-493 • OMNI-496
A-BRKT-038	Heavy Duty Marine Ratchet Rail Mount Antenna Bracket 1" 14 TPI	115 x 55 x 50 mm	145 x 110 x 110 mm	500g	580g	316 Grade Stainless Steel	Surface Mounted	<ul style="list-style-type: none"> • OMNI-291 • OMNI-400 • OMNI-402 • OMNI-403 • OMNI-404 • OMNI-414 • OMNI-493 • OMNI-496
A-BRKT-039	Heavy Duty Marine Mount Antenna Bracket 1" 14 TPI	93 x 64 x 112 mm	150 x 120 x 120 mm	560g	660g	316 Grade Stainless Steel	Surface Mounted	<ul style="list-style-type: none"> • OMNI-291 • OMNI-400 • OMNI-402 • OMNI-403 • OMNI-404 • OMNI-414 • OMNI-493 • OMNI-496
A-BRKT-045	Multi directional swivel bracket for mounting antennas to a ceiling	310 x 310 x 220 mm	320 x 325 x 240 mm	2.08 kg	2.28 kg	Stainless Steel	Ceiling Mounted	<ul style="list-style-type: none"> • 2x HELI-11 • 2x HELI-12 • 2x HELI-13 • 2x HELI-17 • 2x HELI-18 • 2x HELI-19 • HELI-21 • HELI-22
A-BRKT-046	Mining Tunnel Roof Mount Bracket for 4x Mini-HELI Antennas	570 x 470 x 245 mm	575 x 470 x 250 mm	4.1 kg	4.28 kg	304 Grade Stainless Steel	Ceiling Mounted	<ul style="list-style-type: none"> • 4x HELI-11 • 4x HELI-12 • 4x HELI-13 • 4x HELI-17 • 4x HELI-18 • 4x HELI-19 • HELI-41 • HELI-42
A-BRKT-047	20mm roof bolt mounting bracket attachment used in conjunction with BRKT-045	415 x 50 x 50 mm	290 x 50 x 50 mm	720g	760g	Stainless Steel	Roof Bolt Mounted	<ul style="list-style-type: none"> • HELI-21 • HELI-22 • HELI-41 • HELI-42
A-BRKT-051	Mining bracket for "Rhyno" antennas (8x8 MIMO)	TBC	TBC	TBC	TBC	304 Grade Stainless Steel	Wall, Pole & Magnet Mounted	<ul style="list-style-type: none"> • OMNI-700 Series • PUCK Series • MIMO 3 Series • OMNI-297
A-BRKT-052	Mining bracket for "Rhyno" antennas (4x4 MIMO)	TBC	TBC	TBC	TBC	304 Grade Stainless Steel	Ceiling Mounted	<ul style="list-style-type: none"> • OMNI-700 Series • PUCK Series • MIMO 3 Series • OMNI-297

BRACKETS

A-BRKT-066	Roof Bolt Mount HELI-22 Bracket	265 x 310 x 495 mm	340 x 340 x 230 mm	2.5 kg	2.56 kg	Stainless Steel	Roof Bolt Mounted	<ul style="list-style-type: none"> • 2x HELI-11 • 2x HELI-12 • 2x HELI-13 • 2x HELI-17 • 2x HELI-18 • 2x HELI-19
A-BRKT-090	Narwhal Series Marine Bracket	70 x 6 4 x 69 mm	290 x 185 x 205 mm	3.7 Kg	3.96 Kg	316 Grade Stainless Steel	Pole & Wall Mounted	<ul style="list-style-type: none"> • OMNI-902 • OMNI-904 • OMNI-914

Environmental Specifications, Certification & Approvals

Temperature Range (Operating):	-40°C to +80°C
Storage Temperature:	-40°C to +80°C
Salt Spray:	MIL-STD 810G/ASTM B117
Operating Relative Humidity:	Up to 98%
Storage Humidity:	5% to 95% - non-condensing
Product & Environmental Safety:	Complies with CE and RoHS standards



CONTACT POYNTING

Poynting Antennas (Pty) Ltd - Head Office

Unit 4, N1 Industrial Park,
Landmarks Avenue,
Samrand, 0157, South Africa

Phone: +27 (0) 12 657 0050

E-mail: info@poynting.tech

International Email: sales-global@poynting.tech

Poynting Europe

Regus Business Center Neue Messe Riem
Kronstadter Straße 4
81677 München
Germany

Phone: +49 89 7453 9002

E-mail: sales-europe@poynting.tech

Poynting USA

1804 Owen Court, Suite 104,
Mansfield,
TX 76063
USA

Phone: +1 817 533-8130

E-mail: sales-us@poynting.tech